




Polias Dentadas Passo Métrico "T"



1F



2



2F

T 2,5 (PASSO 2,5 mm) PARA CORREIAS DE LARGURA 6 mm

Material	Código	Tipo	Dentes	De	Df	Dm	F	L	d	Nº Flange	Kg
ALUMÍNIO UNI 9006 - T6	16 T 2,5 12	1F	12	9,00	13,0	12	9	16	-	100	-
	16 T 2,5 14	1F	14	10,60	15,0	14	9	16	-	101	-
	16 T 2,5 15	1F	15	11,40	15,0	15	9	16	-	101	-
	16 T 2,5 16	1F	16	12,20	16,0	16	9	16	-	102	-
	16 T 2,5 18	2F	18	13,80	17,5	10	10	16	-	103	-
	16 T 2,5 19	2F	19	14,60	20,0	10	10	16	-	104	-
	16 T 2,5 20	2F	20	15,40	20,0	11	10	16	-	105	-
	16 T 2,5 22	2F	22	17,00	22,0	11	10	16	-	106	-
	16 T 2,5 24	2F	24	18,55	22,0	12	10	16	-	107	0,01
	16 T 2,5 25	2F	25	19,35	25,0	13	10	16	-	107	0,01
	16 T 2,5 26	2F	26	20,15	26,0	14	10	16	-	108	0,01
	16 T 2,5 28	2F	28	21,75	26,0	14	10	16	-	108	0,02
	16 T 2,5 30	2F	30	23,35	26,0	16	10	16	-	109	0,02
	16 T 2,5 32	2F	32	24,95	32,0	16	10	16	-	110	0,02
	16 T 2,5 36	2F	36	28,10	36,0	20	10	16	-	111	0,03
	16 T 2,5 40	2F	40	31,30	38,0	22	10	16	-	112	0,03
	16 T 2,5 44	2	44	34,50	-	24	10	16	-	-	0,04
	16 T 2,5 48	2	48	37,70	-	26	10	16	-	-	0,05
	16 T 2,5 60	2	60	47,25	-	34	10	16	8	-	0,07

T 5 (PASSO 5 mm) PARA CORREIAS DE LARGURA 10 mm

Material	Código	Tipo	Dentes	De	Df	Dm	F	L	d	Nº Flange	Kg
ALUMÍNIO UNI 9006 - T6	16 T 5 10	2F	10	15,05	19,5	8	15	21	-	200	0,01
	16 T 5 12	2F	12	18,25	23,0	10	15	21	-	201	0,01
	16 T 5 14	2F	14	21,45	25,0	13	15	21	-	203	0,02
	16 T 5 15	2F	15	23,05	28,0	16	15	21	-	204	0,02
	16 T 5 16	2F	16	24,60	32,0	18	15	21	-	205	0,03
	16 T 5 18	2F	18	27,80	32,0	20	15	21	-	205	0,03
	16 T 5 19	2F	19	29,40	36,0	22	15	21	-	206	0,04
	16 T 5 20	2F	20	31,00	36,0	23	15	21	-	206	0,04
	16 T 5 22	2F	22	34,25	38,0	24	15	21	-	207	0,05
	16 T 5 24	2F	24	37,40	42,0	26	15	21	-	208	0,06
	16 T 5 25	2F	25	38,95	44,0	26	15	21	-	209	0,06
	16 T 5 26	2F	26	40,60	44,0	26	15	21	-	209	0,06
	16 T 5 27	2F	27	42,20	48,0	30	15	21	8	210	0,07
	16 T 5 28	2F	28	43,75	48,0	32	15	21	8	210	0,07
	16 T 5 30	2F	30	46,95	51,0	34	15	21	8	211	0,07
	16 T 5 32	2F	32	50,10	54,0	38	15	21	8	212	0,09
	16 T 5 36	2F	36	56,45	63,0	38	15	21	8	215	0,11
	16 T 5 40	2F	40	62,85	66,0	40	15	21	8	216	0,14
	16 T 5 42	2F	42	66,00	71,0	40	15	21	8	217	0,18
	16 T 5 44	2	44	69,20	-	45	15	21	8	-	0,18
	16 T 5 48	2	48	75,55	-	50	15	21	8	-	0,20
	16 T 5 60	2	60	94,65	-	65	15	21	8	-	0,31